

# SOUDEGE DES INOX



EE SELECTARC	ACIER	308L 18/8	308H 18/8 H	308 LF 18/8 LF	347 18/8 NB	321 18/8 TI	316L 18/8/3	318 18/8/3 NB	309L 24/12	309LMO 24/12 MO	310 25/20	310H 25/20 H	410 13CR	410 NIMO 13/4	U B6 385	U 45N 25/5/3N	U 52N+ 25/6/4	
AUSTENITIQUE											REFRACTAIRE		MARTENSITIQUE		ACIERS DUPLEX			
U 52N+ 25/6/4	2509MOB	2509MOB	2509MOB	2509MOB	2509MOB	2509MOB	2509MOB	2509MOB	2509MOB	2509MOB	2509MOB	2509MOB	2509MOB	2509MOB	2509MOB	Inox385	2509MOB	2509MOB
U 45N 25/5/3N	Inox2209	Inox2209	Inox2209	Inox2209	Inox2209	Inox2209	Inox2209	Inox2209	Inox2209	Inox2209	25/20B	25/20B	Inox2209	Inox2209	Inox385	2209		
U B6 385	Inox385	Inox385	Inox385	Inox385	Inox385	Inox385	Inox385	Inox385	Inox385	Inox385	Inox385	Inox385	Inox385	Inox385	385			
410 NIMO 13/4	Inox13/4 24/12S	24/12S	24/12S	24/12S	24/12S	24/12S	24/12S	24/12S	24/12S	24/12S	25/20B	25/20B	Inox13/4	13/4				
410 13CR	Inox410B 24/12S	24/12S	24/12S	24/12S	24/12S	24/12S	24/12S	24/12S	24/12S	24/12S	25/20B	25/20B	410B					
310H 25/20 H	25/20B	25/20B	25/20B	25/20B	25/20B	25/20B	25/20B	25/20B	25/20B	25/20B	25/20B	25/20B	310H					
310 25/20	25/20B	25/20B	25/20B	25/20B	25/20B	25/20B	25/20B	25/20B	25/20B	25/20B	25/20B	25/20B	2520R					
309LMO 24/12 MO	24/12Mo	24/12Mo 24/12S	24/12S	24/12S	24/12S	24/12S	24/12S	24/12S	24/12S	24/12S							2412Mo	
309L 24/12	24/12S	24/12S	24/12S	24/12S	24/12S	24/12S	24/12S	24/12S	24/12S								2412S	
318 18/8/3 NB	24/12S	20/10MBC Inox318	20/10MBC Inox318	20/10MBC Inox318	20/10MBC	20/10MBC	Inox318 2010MBC	318										
316L 18/8/3	24/12MO	20/10MBC	20/10MBC	20/10MBC	20/10MBC	20/10MBC	2010MBC											
321 18/8 TI	24/12S	20/10BC Inox347	20/10BC Inox347	20/10BC Inox347	Inox347			347										
347 18/8 NB	24/12S	Inox347 2010BC	Inox347 2010BC	Inox347 2010BC				347										
308 LF 18/8 LF	24/12S	20/10BC	20/10BC														308LF	
308H 18/8 H	24/12S Ni82	20/10BC Inox308HB															308HB	
308L 18/8	24/12S	2010BC																

VOIR EQUIVALENCES EE / FILS

DMS0305